

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name	Cobalt Carbonate
Chemical name	Cobalt (II) carbonate
Synonyms	Cobalto-cobaltic carbonate, but the product is really a mixture
Supplier	Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate, Radstock, Nr. Bath. BA3 4XE
Emergency numbers	Tel: 01761 411077 E:mail: sales@bathpotters.co.uk

2. Composition

Components.	CAS	EINECS	% of composition
Cobalt Carbonate	513-79-1	208-169-4	>99%

The above product is a composition of a cobalt solution and sodium carbonate

3. Health Hazard Identification

Inhalation	Excessive and repeated inhalation of the product dust may cause the symptoms of chronic lung disease, and asthma and chronic pulmonary effects.
Ingestion	Product can be regarded as low toxicity material and is likely to be of low solubility in body fluids. However one case of poisoning has been reported, therefore ingestion may give rise to gastric disturbance with the possibility of liver and kidney damage.
Eyes	May give cause physical irritation and inflammation.
Skin	Some cobalt compounds have been shown to cause dermatitis and sensitisation.

4. First Aid Measures

Inhalation	Remove patient to fresh air, provide rest, loosen tight clothing and, if any adverse reaction occurs, seek medical attention.
Ingestion	If large quantities have been ingested induce vomiting. Rinse mouth with water and give 200-300ml (half a pint) of water or milk to drink (provide patient is conscious). Seek medical advice immediately.
Eyes	Wash immediately with copious amounts of water for 15 minutes, paying particular attention to under the eyelid, and seek medical attention if discomfort persists.
Skin	Remove contaminated clothing. Wash affected areas with soap and water, and if any adverse reaction occurs seek medical advice.

5. Fire Fighting Measures

Extinguishing Media	Suitable for surrounding fire conditions. The product is not explosive or flammable. Standard fire fighting techniques only are required, i.e. water, carbon dioxide, dry powder, sand and chemical foam extinguishers.
Special Exposure hazard	In the event of a fire the product may emit harmful or toxic fumes of cobalt at high temperatures.
Protective equipment	Self contained breathing apparatus.

6. Accidental Release Measures

Leaks & Spills	Remove dry materials either by a vacuum cleaner fitted with an efficient particulate filter, or by damping down and scooping in to a receptacle prior to disposal.
----------------	--

Protective equipment Local exhaust ventilation is recommended to comply with occupational exposure limits (refer to Guidance Note EH40 - latest edition), personal respiratory protection should be used if local exhaust is not available.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly after handling the material and avoid contact with skin and eyes. Local exhaust ventilation is recommended to comply with occupational exposure limits (refer to Guidance Note EH40 - latest edition), to avoid spreading and inhalation dust in use.

Storage Store in the original secure container in normal dry conditions, at room temperature, and away from direct sunlight.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure Limits are not exceeded. Local Exhaust Ventilation is normally recommended and preferable to personal protection (refer to Guidance Note EH40 - latest edition).

Personal protective equipment Where local exhaust is unavailable, H.S.E. - approved personal respiratory protection should be used. Suitable impervious gloves and overalls should be used, along with safety goggles if contact with eyes is otherwise possible

9. Physical & Chemical properties

Appearance & Odour Light pink fine odourless powder.

Flash point (°C) Not applicable

Flammability Not applicable

Explosive properties Non-explosive

Oxidising properties Non-oxidising

Specific gravity 3-5

pH value Not available

Melting point (°C) Not available

10. Stability & Reactivity

Chemical stability The material is stable under normal conditions and insoluble in water

Conditions/materials to avoid Soluble in acids, avoid damp conditions and those of extreme heat.

Hazardous decomposition products Toxic fumes of oxides of cobalt and carbon dioxide.

Hazardous polymerisation products None known.

11. Toxicology Information

Acute toxicology LD₅₀ Oral Rat >6400mg/kg
 LD₅₀ Dermal Not known
 LD₅₀ Inhalation Not known

Health effects Prolonged or repeated exposure above Occupational Exposure Standards may cause Aggravation of asthma, sensitisation, cancer, blood disorders and damage to the heart, thyroid and pancreas. See sections 3 &4.

12. Ecological information

Ecotoxicity Insoluble in water

Persistence Will only dissolve in the presence of acid leaving trace elements of cobalt in the surrounding soil.

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method

14. Transport Information

UN/SI No.		Not classified
UN Class		Not classified
Packing group		Not classified
Road	UK	Not classified
	ADR	Not classified
Sea	IMO	Not classified
Air	ICAO	Not classified

15. Regulatory information

EC Supply Labelling	Toxic	
R-Phrases	R20/22 Harmful by inhalation and if swallowed R43 May cause sensitisation by skin contact	
S-Phrases	S13 Keep away from food, drink and animal feeding stuffs. S20/21 When using do not eat, drink or smoke S22/23 Do not breathe dust or spray S24 Avoid contact with skin S36/37 Wear suitable protective clothing and gloves S38 In case of insufficient ventilation wear suitable respiratory equipment. S45 In case of accident or if you feel unwell, seek medical advice immediately S53 Avoid exposure – obtain special instructions before use	
UK Occupational exposures limits*	Mg/m ³ 8 hr TWA	% in product
Cobalt compounds (as Co)	0.10	70%

* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP:	H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994.
CHIP 96:	Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.
CHIP SDS ACOP:	H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of the CHIP regulations.
HSE EH40:	HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21