according to Regulation (EC) No. 1272/2008

164-BLUE Blue Earthenware

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-BLUE Blue Earthenware

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

164-GREEN Green Earthenware

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-GREEN Green Earthenware

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NA

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances. Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water

or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

164-ONYX Onyx Black Porcelain

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-ONYX Onyx Black Porcelain

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

164-ROKK Rokk Grey Grogged Stoneware

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-ROKK Rokk Grey Grogged Stoneware

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

164-VUC Vulcan Black Stoneware (Coarse)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-VUC Vulcan Black Stoneware (Coarse)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

164-VUF Vulcan Black Stoneware (Fine)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 164-VUF Vulcan Black Stoneware (Fine)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NA

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

1037 College Buff

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 1037 College Buff

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk **1.4 Emergency telephone number** Telephone: +44 (1782) 219816 **Only available during office hours.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

according to Regulation (EC) No. 1272/2008

152-1109 Flecked Stoneware

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 152-1109 Flecked Stoneware Clay

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk 1.4 Emergency telephone number Telephone: +44 (1782) 219816 Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances. Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3
* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

according to Regulation (EC) No. 1272/2008

153-1114 Original Craft Crank

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 153-1114 Original Craft Crank Clay

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclays Limited,

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk 1.4 Emergency telephone number Telephone: +44 (1782) 219816 Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances. Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

according to Regulation (EC) No. 1272/2008

152-1115 Staffordshire Stoneware

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

This safety data sheet pertains to the following products: 152-1115 Staffordshire Stoneware Clay

1.2 Relevant identified uses of the substance or mixture and uses advised against

Decoration of ceramic products.

1.3 Details of the supplier of the safety data sheet

Potclavs Limited.

Brickkiln Lane, Stoke-on-Trent, Staffordshire, ST4 7BP

Tel. 01782 219816

E-mail: sales@potclays.co.uk Internet: www.potclays.co.uk 1.4 Emergency telephone number Telephone: +44 (1782) 219816 Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Classification (EC 1272/2008)

Not Classified

2.2 Label elements

Labelling according to EC regulation 1272/2008 (CLP)

Hazard statements:

NΑ

SECTION 3: Composition / information on ingredients

3.1 Substances

EcNo. Chemical Name CAS No. Index No. Percentage Composition

3.2 Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Inhalation Unlikely route of exposure as the product does not contain volatile substances. Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

4.2. Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1272/2008

General information

N/A

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media

The product is non-combustible. No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

Special Fire Fighting Procedures

No specific fire-fighting protection is required. Use an extinguishing agent suitable for the surrounding fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Usage Description

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient comments

Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

8.2 Exposure controls

Engineering measures

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the

according to Regulation (EC) No. 1272/2008

requirements of European or national legislation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended.

Eye protection

Use eye protection. Goggles/face shield are recommended. Contact lenses should not be worn when working with this product.

Hygiene measures

When using do not eat, drink or smoke. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

Skin protection

No specific requirement. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Various.

Odour Almost odourless. Relative density Greater than 1

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No particular incompatibility.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Inhalation

N/A

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

N/A

Eye contact

Particles in the eyes may cause irritation and smarting.

according to Regulation (EC) No. 1272/2008

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l >1000

12.2. Persistence and degradability

Degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations. Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

13.1. Waste treatment methods

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

according to Regulation (EC) No. 1272/2008

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Uk Regulatory References Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

EU Legislation

Exempted in accordance with Annex V.7 National Regulations Workplace Exposure Limits 2005 (EH40) Water hazard classification NWG

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive: Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis"." In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2, 3, 7, 8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

Fax: 01761 414115

Internet: coshh@bathpotters.demon.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Crystalline silica, quartz

Major component.

2388784

<50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No. None
UN Class Not classified

Packing group
Road
UK
Not classified
ADR
Not classified

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

S38 In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Crystalline silica: dust 0.3
* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

July 2000-07-26

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. <u>Fire Fighting Measures</u>

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Small amounts may be washed into trade effluent drains, provided effluent conditions are complied with.

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3
* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

26.08.21

Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E:mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. <u>Fire Fighting Measures</u>

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Protective equipment Respiratory protective equipment required for material in a dry state.

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Crystalline silica, quartz

Major component.

2388784

<50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. <u>Fire Fighting Measures</u>

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-amil: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

Email: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-Mail:sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group

Road

ADR

None

Not classified

Not classified

Not classified

Not classified

Not classified

Sea IMO Not classified
Air ICAO Not classified

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

S38 In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name Potclays ceramic body in a plastic form. (See summary at document end.)

Chemical name Plastic clay. Synonyms None.

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

E-mail: sales@bathpotters.co.uk

2. Composition

Component CAS EINECS % of composition

'Low toxicity dust' (e.g. felspathic

and, ceramic minerals, clays etc.)

Major component.

Crystalline silica, quartz 14808-60-7 2388784 <50%

Products may include trace amounts of organic identification dyestuffs.

3. Health Hazard Identification

Inhalation Excessive exposure to dust or fettled waste, may cause symptoms of chronic lung damage.

Ingestion Product of low solubility in body fluids and likely to be of low acute toxicity.

Eyes May cause physical irritation and inflammation.

Skin Not a primary irritant. Any abrasive powder may give minor irritation.

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water and give 200-300ml (1/2 pint) of

water to drink (provided patient is conscious), seek medical advice.

Eyes Wash immediately with copious amounts of water for 15 minutes. Seek medical

attention is irritation persists.

Skin Wash affected areas with water. If irritation persists, seek medical attention

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions.

The product is not explosive or combustible. Standard fire fighting techniques only are required, i.e. water, sand, carbon dioxide, chemical

foam extinguishers etc.

Special Exposure hazard None.

Protective equipment None other than required for surrounding fire conditions.

6. Accidental Release Measures

Leaks & Spills Remove dry materials either by a vacuum cleaner fitted with a specific P3

particulate filter, or by damping down and scooping in to a receptacle. Small spillages may be washed into drains with plenty of water (provided

effluent consent conditions are complied with).

Handling Do not eat, drink, or smoke in areas where the material is used. Wash hands/skin

thoroughly after handling. Dust can occur during the processing of this material, especially during; fettling & burnishing before firing, the use of local exhaust ventilation is recommended to comply with occupational exposure limits (refer to

Guidance Note EH40 - latest edition)

Storage Storage Store in sealed packaging (e.g. as supplied) in normal dry conditions, to ensure no loss

of moisture and the dust production will be minimised.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure

Limits are not exceeded. Local Exhaust Ventilation is recommended. Where LEV is not practicable and exposure is likely to be excessive,

Personal protective equipment

approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls, which do not retain

dust, are recommended for prolonged contact. Safety glasses or goggles (to

BS2092) recommended if contact with eyes is possible.

9. Physical & Chemical properties

Appearance & Odour Plastic odourless solid (pugged sections or filter cake)

Flash point (°C)
Flammability
Not applicable
Non-explosive
Oxidising properties
Specific gravity
Non-oxidising
Ca. 2.6 (dry product)

pH value Not available

Melting point (°C) Greater than 1000°C (dry product)

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid Loss of moisture will occur on exposure to the atmosphere

Hazardous decomposition products
Hazardous polymerisation products
None known
None known

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral Not known

 $\begin{array}{ll} LD_{50} \ Dermal & Not \ known \\ LD_{50} \ Inhalation & Not \ known \end{array}$

Health effects Prolonged or repeated inhalation of dry dust (crystalline silica) above

Occupational Exposure Standards, may result in chronic lung damage

(silicosis).

12. <u>Ecological information</u>

Ecotoxicity Not known.

Persistence Products are essentially insoluble in water

14. Transport Information

UN/SI No.
UN Class

Packing group
Road
ADR

None
Not classified

ICAO

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

Not classified

R-Phrases None required

S-Phrases Optional for dust residue from plastic product:

S20/21 When using do not eat, drink or smoke.

In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Air

Crystalline silica: dust 0.3 * Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

Product codes covered by this data sheet;

1102, 1104, 1106, 1114, 1114M, 1124, LT25, 1141/30, 1142, 1142/30, 1144, 1147, 1149, 1151, 1154, T Material, General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.