

# SAFETY DATA SHEET

01/11/2018

## SECTION I - IDENTIFICATION

### Material Name

SPECTRUM NOVA STONEWARE GLAZES CONE 4/6 (1500 SERIES)

### Company Information

Spectrum Glazes Inc.  
273 Bowes Rd, Unit A1  
Concord, ON L4K 1H8  
Phone: 905-695-8355  
Fax: 905-695-8354  
Email: sales@spectrumglazes.com

For transportation emergencies only call: 905-695-8355.

For health emergencies call the Poison Control Center: 1-800-222-1222.

## SECTION II - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Hazardous to the Aquatic Environment - Chronic - Category 1

Hazardous to the Aquatic Environment - Chronic - Category 2

Hazardous to the Aquatic Environment - Chronic - Category 4

Hazardous to the Aquatic Environment - Acute - Category 1

### GHS Label Elements

#### Symbol(s)



#### Signal Word(s)

Danger

#### Hazard Statement(s)

Harmful if swallowed. May cause long lasting harmful effects to aquatic life.. Toxic to aquatic life with long lasting effects.  
Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

## Precautionary Statement(s)

### Prevention

Do not handle until all safety precautions have been read and understood. Do not breath dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

### Response

Call a POISON CENTER/doctor if you feel unwell. Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse. Collect spillage. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

## SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS/EC #</u>	<u>PEL/TLV (MG/M#)</u>	<u>Max % Weight</u>	<u>NTP</u>	<u>IARC</u>
ZINC	1314-13-2	N/A	4.11040	N	N
MANGANESE	7439-96-5	5.00	17.60000	N	N
COPPER	7440-50-8	1.00	3.54600	N	N

## SECTION IV - FIRST AID MEASURES

FIRST AID MEASURE: If swallowed, get prompt medical attention.

## SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A

EXPOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

EXTINGUISHING MEDIA: NO SPECIAL METHOD REQUIRED

FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED

UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal see Section XIII.

## SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING HANDLING AND STORAGE: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: Use a locally exhausting hood appropriate for the operation. Use with ventilation adequate to keep exposure within published exposure limits (SEE SECTION III). Use NIOSH certified mask for dusts or mists if exposure levels exceed published exposure limits (SEE SECTION III).

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None required.

WORK/HYGIENE PRACTICES: Avoid prolonged contact with skin. Wash hands immediately after use. When using do not eat, drink, or smoke.

ENGINEERING CONTROLS: Keep in original container. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A

VAPOUR PRESSURE: N/A

SPECIFIC VAPOUR DENSITY

SOLUBILITY IN WATER: N/A

MELTING POINT: N/A

SPECIFIC GRAVITY: N/A

REACTIVITY IN WATER: NON-REACTIVE

## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A

STABILITY (STABLE CONDITIONS TO AVOID): N/A

INCOMPATIBILITY (MATERIALS TO AVOID): N/A

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

## SECTION XI - TOXOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EXPOSURE MAY CAUSE ACUTE OR DELAYED DAMAGE TO THE LUNGS. MAY BE HARMFUL BY BREATHING DUSTS OR MISTS. MAY BE HARMFUL IF SWALLOWED. CONTACT MAY RESULT IN REDNESS OR PAIN IN THE EYES. EXPOSURE MAY RESULT IN SHORTNESS OF BREATH, CHEST PAIN, CHEST TIGHTNESS, WHEEZING AND A COUGH.

The summated LD50 is 566.6 mg/kg.

The summated LC50 is 32924 mg/cubic meter.

This product is considered to be a known or suspected human carcinogen by NTP, IARC, or OSHA (see SECTION III).

## SECTION XII - ECOLOGICAL INFORMATION

### Aquatic Hazard Statement(s)

Toxic to aquatic life with long lasting effects.

May cause long lasting harmful effects to aquatic life.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE FEDERAL, STATE, AND LOCAL REGULATIONS.

## SECTION XIV - TRANSPORTATION INFORMATION

U.S.DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

EPA SARA TITLE III CHEMICAL LISTINGS:

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):

MANGANESE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

NONE

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:

MANGANESE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:

MANGANESE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS' HAZARDOUS SUBSTANCE LIST:

MANGANESE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MICHIGAN'S CRITICAL MATERIALS REGISTER:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:

MANGANESE, elemental and compounds as M

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:

MANGANESE

Under CPSC's consumer products regulations (16 CFR 1500.3 and 1500.14), this product has the following required acute and chronic hazard labelling:

**WARNING: MAY BE HARMFUL IF SWALLOWED.**

**Contains: COPPER, MANGANESE, ZINC**

**PRECAUTIONS:** Avoid prolonged contact with skin. Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. **AVOID USING IF PREGNANT OR CONTEMPLATING PREGNANCY. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID TREATMENT:** If swallowed, get prompt medical attention.

For further health information contact a poison control center or call 1-800-970-1970.

## SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information, and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to the specific materials as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

### COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS.

<u>Product Number &amp; Color</u>	<u>Hazardous Ingredient</u>
1500 Clear	(NONE)
1501 Clear Crackle	(NONE)
1502 Satin Clear	(NONE)
1510 White	(NONE)
1511 Black	(NONE)
1512 Yellow	(NONE)
1513 Cobalt Blue	(NONE)
1514 Chrome Green	(NONE)
1515 Burgundy	(NONE)
1520 Soft White	ZINC
1521 Soft Red	ZINC
1522 Soft Blue	ZINC
1523 Soft Aqua	ZINC
1524 Soft Green	ZINC
	COPPER
1525 Soft Midnight	ZINC
	COPPER
1530 Coffee	MANGANESE
1531 Latte	(NONE)
1532 Storm Cloud	(NONE)
1533 Muddy Hippo	(NONE)
1534 Dark Jungle	ZINC
1535 Wet Sand	(NONE)

<b><u>Product Number &amp; Color</u></b>	<b><u>Hazardous Ingredient</u></b>
1536 Dark Leopard	ZINC
1537 Antique Copper	ZINC
1538 Swamp Water	(NONE)
1539 Elephant Hide	ZINC
1540 Matte Blue	(NONE)
1541 Matte Black	(NONE)
1542 Black Shadow	(NONE)
1543 Light Coffee	MANGANESE
1544 Light Latte	(NONE)