SAFETY DATA SHEET

01/11/2018

SECTION I - IDENTIFICATION

Material Name

SPECTRUM LOW STONE GLAZES CONE 06/04 (900 SERIES)

Company Information

Spectrum Glazes Inc. 273 Bowes Rd, Unit A1 Concord, ON L4K 1H8 Phone: 905-695-8355 Fax: 905-695-8354 Email: sales@spectrumglazes.com

For transportation emergencies only call: 905-695-8355.

For health emergencies call the Poison Control Center: 1-800-222-1222.

SECTION II - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Hazardous to the Aquatic Environment - Chronic - Category 1 Hazardous to the Aquatic Environment - Chronic - Category 2 Hazardous to the Aquatic Environment - Chronic - Category 4 Hazardous to the Aquatic Environment - Acute - Category 1

GHS Label Elements

Symbol(s)



Signal Word(s) Danger Hazard Statement(s)

Harmful if swallowed. May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life. May damage fertility. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breath dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response

Call a POISON CENTER/doctor if you feel unwell. Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse. Collect spillage. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

Hazardous Ingredients	<u>CAS/EC #</u>	PEL/TLV <u>(MG/M#)</u>	Max <u>% Weight</u>	<u>NTP</u>	<u>IARC</u>
NICKEL OXIDE	1313-99-1	N/A	2.5000 0	Ν	Ν
ZINC	1314-13-2	N/A	4.11040	Ν	Ν
MANGANESE	7439-96-5	5.00	17.60000	Ν	Ν
BARIUM	7440-39-3	0.50	1.39276	Ν	Ν
COPPER	7440-50-8	1.00	3.54600	N	Ν

SECTION IV - FIRST AID MEASURES

FIRST AID MEASURE: If swallowed, get prompt medical attention.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A EXPOSION LIMITS IN AIR (% BY VOLUME): NOT EXPOLSIVE EXTINGUISHING MEDIA: NO SPECIAL METHOD REQUIRED FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED UNUSUAL FIRE \$ EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal see Section XIII.

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING HANDLING AND STORAGE: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: Use a locally exhausting hood appropriate for the operation. Use with ventilation adequate to keep exposure within published exposure limits (SEE SECTION III). Use NIOSH certified mask for dusts or mists if exposure levels exceed published exposure limits (SEE SECTION III).

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None required.

WORK/HYGIENE PRACTICES: Avoid prolonged contact with skin. Wash hands immediately after use. When using do not eat, drink, or smoke.

ENGINEERING CONTROLS: Keep in original container. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A VAPOUR PRESSURE: N/A SPECIFIC VAPOUR DENSITY SOLUBILITY IN WATER: N/A MELTING POINT: N/A

SPECIFIC GRAVITY: N/A REACTIVITY IN WATER: NON-REACTIVE

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A STABILITY (STABLE CONDITIONS TO AVOID): N/A INCOMPATIBILITY (MATERIALS TO AVOID): N/A HAZARDOUS DECOMPOSITION PRODUCTS: N/A

SECTION XI - TOXOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EXPOSURE MAY CAUSE ACUTE OR DELAYEDDAMAGE TO THE LUNGS. MAY BE HARMFUL BY BREATHING DUSTS OR MISTS. MAY BE HARMFUL IF SWALLOWED. CONTACT MAY RESULT IN REDNESS OR PAIN IN THE EYES. EXPOSURE MAY RESULT IN SHORTNESS OF BREATH, CHEST PAIN, CHEST TIGHTNESS, WHEEZING AND A COUGH.

The summated LD50 is 566.6 mg/kg.

The summated LC50 is 32924 mg/cubic meter.

This product is considered to be a known or suspected human carcinogen by NTP, IARC, or OSHA (see SECTION III).

SECTION XII - ECOLOGICAL INFORMATION

Aquatic Hazard Statement(s)

Toxic to aquatic life with log lasting effects. Mau cause long lasting harmful effects to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with log lasting effects.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE FEDERAL, STATE, AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORTATION INFORMATION

U.S.DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

EPA SARA TITLE III CHEMICAL LISTINGS: SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372): MANGANESE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: FERRIC OXIDE QUARTZ

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM: BARIUM OXIDE MANGANESE QUARTZ

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATIOJN TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST: IRON OXIDE FUME MANGANESE QUARTZ DUST

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONERN TO CHILDREN: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS' HAZARDOUS SUBSTANCE LIST: IRON OXIDE DUST MANGANESE QUARTZ

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MICHIGAN'S CRITICAL MATERIALS REGISTER: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST: QUARTZ IRON OXIDE FUME (Fe2O3) as fE MANGANESE, elemental and compounds as M

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST: IRON OXIDE MANGANESE QUARTZ

Under CPSC's consumer products regulations (16 CFR 1500.3 and 1500.14), this product has the following required acute and chronic hazard labelling:

WARNING: MAY BE HARMFUL IF SWALLOWED. EXPOSURE MAY CAUSE ALLERGIC REACTIONS. Contains: BARIUM, COPPER, MANGANESE, NICKEL OXIDE, ZINC

PRECAUTIONS: Avoid prolonged contact with skin. Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. AVOID USING IF PREGNANT OR CONTEMPLATING PREGNANCY. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.

FIRST AID TREATMENT: If swallowed, get prompt medical attention.

For further health information contact a poison control center or call 1-800-970-1970.

SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information, and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to the specific materials as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS.

roduct Number & Color	Hazardous Ingredient		
00 CLEAR	(NONE)		
01 EVENING SHADOW	COPPER		
	MANGANESE		
02 ICEBERG	COPPER		
	MANGANESE		
03 EMERALD	COPPER		
04 INDIAN SUMMER	(NONE)		
05 WHEATFIELD	ZINC		
06 BURNT SUGAR	ZINC		
07 AUTUMN LEAVES	ZINC		
08 MOLTEN STONE	ZINC		
09 CAMEL	ZINC		
10 DESERT	ZINC		
11 STAR DUSTY	ZINC		
12 CLOUDY SKY	ZINC		
13 OLD COPPER	ZINC ZINC		
	COPPER		
	MANGANESE		
14 GATOR	ZINC		
14 GATOR	NICKEL OXIDE		
15 BUFFALO HIDE			
16 LEATHER	(NONE)		
18 OLIVE BRANCH	ZINC		
	NICKEL OXIDE		
19 FOREST MOSS	ZINC		
20 MIDNIGHT SKY	ZINC		
21 IRON EARTH	ZINC		
22 RUSSET	ZINC		
23 HAZELNUT	ZINC		
	MANGANESE		
	NICKEL OXIDE		
24 SLATE	ZINC		
25 BLUSH	(NONE)		
26 LIZARD SKIN	(NONE)		
27 TUSCAN SUN	MANGANESE		
	BARIUM		
28 OXBLOOD	(NONE)		
29 MOCHA	MANGANESE		
30 FRANCISCAN GRAY	ZINC		
31 DOVE GRAY	(NONE)		
32 PISTACHIO	(NONE)		
33 STRAWBERRY	MANGANESE		
	BARIUM		
34 SPECKLED TURQUOISE	COPPER		
35 PURPLE HAZE	(NONE)		
36 TORTOISE SHELL	(NONE)		
37 SPECKLED ADOBE	ZINC		

Product Number & Color	Hazardous Ingredient		
938 BLUE RAIN	(NONE)		
939 CHOCOLATE CHIP	(NONE)		
940 SPOTTED PLUM	(NONE)		
941 DRAGONFLY	COPPER		
942 MEDITERRANEAN	(NONE)		
943 GLACIER	(NONE)		
944 DESERT WIND	ZINC		
945 ROBIN'S EGG BLUE	COPPER		
946 CADET BLUE	COPPER		
	MANGANESE		
947 SEAGREEN	COPPER		
948 TORTILLA	ZINC		
949 DEEP SEA	(NONE)		
950 MOONLIT SKY	(NONE)		
951 SUNSET RED	(NONE)		
952 METEOR SHOWER	(NONE)		
953 ESPRESSO	MANGANESE		
954 POLISHED ARMOR	COPPER		
	MANGANESE		
955 EGGPLANT	MANGANESE		
956 SMOKE 'N MIRRORS	COPPER		
	MANGANESE		
957 KELP FOREST	BARIUM		
958 RAINFOREST	BARIUM		
959 TARNISHED SILVER	COPPER		
	MANGANESE		
	BARIUM		
960 GUNMETAL	COPPER		
	MANGANESE		
961 BULLFROG	COPPER		
962 PHOENIX RED	BARIUM		